1882 LIGHTING

BOLLARDS

BROCHURE

1882 LIGHTING

TABLE OF CONTENTS

1 BOLLARDS OVERVIEW

2 DECORATIVE BOLLARDS
DECORATIVE CONTEMPORARY BOLLARDS

5 CLASSIC BOLLARDS

7 CONTEMPORARY BOLLARDS

9 DESIGNER & SPECIALTY BOLLARDS

11 FWC TURTLE-SAFE BOLLARDS

13 BOLLARD RETROFIT BASE KIT

14 AMERICAN BOLLARDS

1882 LIGHTING

BOLLARDS OVERVIEW

OVER 140 YEARS OF EXPERIENCE

1882 Lighting, a QSSI Company, specializes in custom fabrication, machining, and finishing for many industries; lighting, electronics, medical, and electronic surveillance. The expertise used to make and finish a wide variety of precision parts also produces specification-grade lighting fixtures, poles, and site accessories.

OUR BOLLARDS

1882 Lighting offers many standard and custom-designed products. Products are made in the USA in multiple factory locations to serve customers across the US and Canada.

This brochure highlights our large selection of bollards, starting with our handmade Decorative Bollards and Decorative Contemporary Bollards. These bollards are made from scratch right here in the USA at our Delaware location.

We offer quick shipping on various bollard styles, including Classic, Contemporary, Designer, and Specialty Bollards. These bollards ship quickly and can be installed quicker with the specially designed Bollard Retrofit Base Kit.

AMBERLED & LPS REPLACEMENT

Many of our popular Classic, Contemporary, and Designer bollards are also available in AmberLED and LPS Replacement PC Amber. These bollards are specially marked throughout this brochure. Other AmberLED bollard options include our FWC Certified Turtle-Safe Bollards, which are approved for wildlife use and use monochromatic AmberLED lighting.

BOLLARDS

DECORATIVE

BOLLARDS

DECORATIVE

1 **AUS30** **Austin 30 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

2 **AUS014** **Austin 014 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

3 **AUS102** **Austin 102 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

4 **AUS112** **Austin 112 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

5 **AUS130** **Austin 130 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

6 **AUS193** **Austin 193 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

7 **AUS220** **Austin 220 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

8 **AUS381** **Austin 381 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

9 **AUS402** **Austin 402 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

10 **AUS412** **Austin 412 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

11 **AUS416** **Austin 416 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

12 **AUS460** **Austin 460 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

13 **AUS512** **Austin 512 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

14 **AUS371** **Austin 371 Bollard**
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

1
AUS30
LPS
AMBERLED

2
AUS014
LPS
AMBERLED

3
AUS102
LPS
AMBERLED

4
AUS112
LPS
AMBERLED

5
AUS130
LPS
AMBERLED

6
AUS193
LPS
AMBERLED

7
AUS220
LPS
AMBERLED

8
AUS381
LPS
AMBERLED

9
AUS402
LPS
AMBERLED

10
AUS412
LPS
AMBERLED

11
AUS416
LPS
AMBERLED

12
AUS460
LPS
AMBERLED

13
AUS512
LPS
AMBERLED

14
AUS371
LPS
AMBERLED

BOLLARDS

DECORATIVE CONTEMPORARY

1 **AUS4**
Austin 4 Bollard
1,006-2,434 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

2 **AUS6**
Austin 6 Bollard
33-118 Lumens | 10-30w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

3 **AUS22**
Austin 22 Bollard
890-2,034 Lumens | 10-20w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

4 **PUT44**
Puerto 44 Bollard
798-5,340 Lumens | 10-50w | 3K, 4K, 5K, 22K, 27K, LPS, Amber

1
AUS4

LPS
AMBERLED

2
AUS6

LPS
AMBERLED



3
AUS22

LPS
AMBERLED

4
PUT44

LPS
AMBERLED

BOLLARDS

CLASSIC



BOLLARDS

CLASSIC

1 **AUS17GQ** Round Dome Bollard w/Glass
780-1,882 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

2 **AUS17RLQ** Round Dome Bollard w/LED Cone Reflector
740-2,450 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

3 **AUS17LQ** Round Dome Bollard w/Louvers
530-1,240 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

4 **AUS17RWQ** Round Dome Bollard w/SoftLED LumaLens
660-1,570 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

5 **AUS18FGQ** Round Flat Bollard w/Glass
780-1,882 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

6 **AUS18FRLQ** Round Flat Bollard w/LED Cone Reflector
740-2,450 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

7 **AUS18FLQ** Round Flat Bollard w/Louvers
530-1,240 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

8 **AUS18FRWQ** Round Flat Bollard w/SoftLED LumaLens
660-1,570 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

9 **AUS19SFGQ** Square Flat Bollard w/Glass
780-1,882 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

10 **AUS19SFRLQ** Square Flat Bollard w/LED Cone Reflector
740-2,450 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

11 **AUS19SFLSQ** Square Flat Bollard w/Louvers
530-1,240 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

12 **AUS19FRWQ** Round Flat Bollard w/SoftLED LumaLens
660-1,570 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

13 **AUS16RLQ** Stainless Steel Bollard w/LED Cone Reflector
740-2,450 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

14 **AUS16LQ** Stainless Steel Bollard w/Louvers
530-1,240 Lumens 10-22w 3K, 4K, 5K, LPS, Amber

15 **AUS16RWQ** Stainless Steel Bollard w/SoftLED LumaLens
660-1,570 Lumens 10-22w 3K, 4K, 5K, LPS, Amber



BOLLARDS

CONTEMPORARY

BOLLARDS

CONTEMPORARY

1	**AUS15**	**Austing 15 Full Cutoff** Bollard 338-758 Lumens | 10-17w | 3K, 4K, 5K, Amber
2	**AUS24**	Austin 24 Bollard 780-1,320 Lumens | 12w | 3K, 4K, 5K, Amber
3	**AUS25**	**Austin 25** Contemporary Bollard 1,905-2,810 Lumens | 16-22w | 3K, 4K, 5K, Amber
4	**AUS52**	Austin 52 Side Light Bollard 311-337 Lumens | 18w | 3K, 4K, 5K, Amber
5	**VOYRB20Q**	Voyager 20 Round Bollard 1,403-3,318 Lumens | 12-25w | 3K, 4K, 5K, Amber
6	**VOYSB20Q**	Voyager 20 Square Bollard 1,403-3,318 Lumens | 12-25w | 3K, 4K, 5K, Amber
7	**AUS13R**	**Austin 13** Round Cutoff Bollard 1,457-2,720 Lumens | 10-22w | 3K, 4K, 5Kr
8	**AUS13S**	**Austin 13** Square Cutoff Bollard 1,457-2,720 Lumens | 10-22w | 3K, 4K, 5K
9	**AUS11Q**	Austin 11 Round Flat Top Bollard 1,406-3,263 Lumens | 16-34w | 3K, 4K
10	**AUS11BQ**	Austin 11 Round Dome Top Bollard 1,406-3,263 Lumens | 16-34w | 3K, 4K
11	**AUS12Q**	Austin 12 Square Flat Top Bollard 1,406-3,263 Lumens | 16-34w | 3K, 4K
12	**AUS12CQ**	Austin 12 Square Pyramid Top Bollard 1,406-3,263 Lumens | 16-34w | 3K, 4K
13	**STRB1**	Stratus Single Bollard 2,560-4,900 Lumens | 22-37w | 3K, 4K, 5K
14	**STRB2**	Stratus Twin Bollard 2,560-4,900 Lumens | 22-37w | 3K, 4K, 5K

BOLLARDS

DESIGNER & SPECIALTY



BOLLARDS

SPECIALTY

1 **PWB1Q** — **Round Low Profile Pathway Bollard**
870-3,270 | 16-34w | 3K, 4K

2 **PWB2Q** — **Square Low Profile Pathway Bollard**
870-3,270 | 16-34w | 3K, 4K

3 **PWB5** — **PWB5 Low Profile Pathway Bollard**
340-760 | 10-17w | 3K, 4K, 5K

4 **PWB52** — **Low Profile Side Light Pathway Bollard**
311-337 | 18w | 3K, 4K, 5K

5 **PWB24** — **PWB24 Low Profile Bollard**
780-1,320 | 12w | 3K, 4K, 5K

BOLLARDS

DESIGNER

1 **CLMB12Q** — **Columbia 12 Bollard**
833-2,952 Lumens | 10-28w | 3K, 4K, 5K, Amber

2 **AUS7** — **Austin 7 Curve Bollard**
1,427-2,418 Lumens | 10-30w | 3K, 4K, 5K, Amber

3 **MARI** — **Maritime Lighthouse Bollard**
473-2,751 Lumens | 10-28w | 3K, 4K, 5K, Amber

1
PWB1Q

2
PWB2Q

3
PWB5

AMBERLED

4
PWB52

AMBERLED

5
PWB24

AMBERLED

1
CLMB12Q

AMBERLED

2
AUS7

AMBERLED

3
MARI

AMBERLED

BOLLARDS

FWC TURTLE-SAFE

BOLLARDS

TURTLE-SAFE

1 **AUS16WRLQ** **FWC AmberLED Austin 16 Round Dome Bollard w/ Cone Reflector**
15w | Amber

2 **AUS16WLQ** **FWC AmberLED Austin 16 Round Dome Bollard w/ Louvers**
15w | Amber

3 **AUS17WRLQ** **FWC AmberLED Austin 17 Round Dome Bollard w/ Cone Reflector**
15w | Amber

4 **AUS17WLQ** **FWC AmberLED Austin 17 Round Dome Bollard w/ Louvers**
15w | Amber

5 **AUS18FRLQ** **FWC AmberLED Austin 18 Round Flat Bollard w/ Cone Reflector**
15w | Amber

6 **AUS18FLQ** **FWC AmberLED Austin 18 Round Flat Bollard w/ Louvers**
15w | Amber

ABOUT FWC TURTLE-SAFE BOLLARDS

1882 Lighting FWC Turtle-Safe Bollards are certified by the Florida Fish and Wildlife Conservation Commission. These bollards are all full-shielded and certified for wildlife applications that are directly visible from the shore requiring monochromatic AMBER light. LEDs operate between 585 and 595 nm, greater than 560nm required by FWC.

1 AUS16WRLQ

2 AUS16WLQ

3 AUS17WRLQ

4 AUS17WLQ

5 AUS18WLQ

6 AUS18WLQ

1882-RETROBASE

BOLLARD RETROFIT BASE KIT

1882-RETROBASE

1882 Lighting's Bollard Retrofit Base Kit will save you time and money during bollard installations. The 1882-Retrobase allows for the installation of new bollards to most existing bolt patterns without the removal of existing bolts.

The Bollard Retrofit Base Kit fits all AUS 11-19 bollards, both round and square. This kit includes an Anchor Bolt Retrofit Adapter and a Bollard Mounting Cover Plate.

The Anchor Bolt Retrofit Adapter Plate fits most existing 3-Bolt or 4-Bolt patterns. The Bollard Mounting Cover Plate has threaded holes in patterns for each bollard size. Mounting bolts are included.

Download the 1882-Retrobase Spec Sheet for more product information, including line drawings, bolt patterns, and more.

1
1882-RETROBASE

MADE IN

AMERICA

USA ASSEMBLY

1882 Lighting Products are made and assembled in America. They are welded, assembled by hand, and built to last. We only manufacture using top-quality materials to provide years of trouble-free service.

BUY AMERICAN ACT

All of our products meet the Buy American Act (BAA) Compliancy requirements as listed in United States Code (USC) Title 41.

CONTACT INFORMATION

info@1882lighting.com

302-892-9000

www.1882lighting.com